



FUNCTIONAL LIGHTS

Bring out the best in your home with the Philips range of Functional lights, Spotlights and COBs.

Equipped with the latest LED technology and designed for excellence in performance and quality, Philips Functional lights are the perfect blend of innovation and modern design. Philips Functional lights offer energy-saving benefits of LED, good light quality and maintenance free operation.



MOD COB



Made by you. Made for you.

Make your luxurious living spaces come alive with Philips Mod COB.

A unique product designed to create lighting that perfectly complements your aesthetic taste.

Elevate your home's ambience with countless combinations of lighting accessories that allows you to blend your lighting with your decor.

CRI



Color rendering index (CRI) is a quantitative measure of the ability of a light source to reveal the colors of various objects in comparison with a natural or standard light source. MOD COBs come with CRI>90 which helps in showcasing the objects in their true colors as compared to other LED products.


ATTACHMENTS & ACCESSORIES

COLORS: Choose from 11 captivating colors.



SHAPES

Get creative with square, circle, oval and semi-circle light shapes.



MOUNT

Enhance your ceiling with square, round, surface and trimless mounts.



LIGHT UP THE WAY YOU LOVE IT




3 beam angles with angular tilt
Accentuate your decor's highlights
with style and convenience.



CRI 90 for enhanced color clarity
Experience your surroundings
in its true colors.



2964 lighting combinations
Create perfect lighting for
every ambience.



MULTIPLE BEAM ANGLES

Optics - Beam Angles

Optics in COBs are crucial elements, as they alter the directionality and intensity of light from the LED source. Different lens/reflector type helps control the beam angle of the output light, to create either crisp-edged or diffused light, or to concentrate light in certain areas while limiting it in others. The MOD COB is available with options of 15/ 24/ 36 degree which helps manage the light beam angle to spot/narrow/medium and direct the light as per your needs.



IP44 COB



Rose Gold

Matt Black

Chrome

Elegant choices for beautiful homes

- Unique honeycomb design to reduce glare
- IP44 splash proof housing
- Focused beam angle - 7W : 36°, 12W : 28°, 20W : 30°
- Longer life with 20,000 hours^
- Super robust construction with premium aluminum housing
- Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Multiple colours to choose from
- No harmful UV radiation
- BIS compliant

	IP44 COB	IP44 COB	IP44 COB
Wattage	7W	12W	20W
Product dimensions (mm)	83.5x83.5x48	103.5x103.5x49	128x128x59
Cutout dia (mm)	73	91	116
Lumen	420lm	720lm	1200lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Reflector colour	Rose Gold/Matt Black/Chrome		
Material	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Deco COB



Rose Gold



Black



Silver



Chrome

Enhances the decor

- Decorative finish with multiple options to choose from
- Minimalistic outer trim to blend well with the ceiling
- Deep recessed COB for low glare
- Focused 36° beam angle
- Longer life with 35,000 hours^
- Super robust construction - wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Metal housing for longer life
- No harmful UV radiation
- BIS compliant

	Deco COB	Deco COB
Wattage	7W	12W
Product dimensions (mm)	76x76x64	86x86x75
Cutout dia (mm)	66	76
Lumen	560lm	960lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K
CRI	90	90
Colour	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Thin Trim Deep Recessed COB



The elegant face of illumination

- Minimalistic outer trim to blend well with the ceiling
- Deep recessed COB for low glare
- Available in 24° and 36° beam angle (both dimmable and non-dimmable)
- Longer life with 25,000 hours^
- Super robust construction - Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Metal housing for longer life
- No harmful UV radiation
- BIS compliant

	Thin Trim Dimmable COB	Thin Trim Dimmable COB	Thin Trim COB	Thin Trim COB	Thin Trim COB
Wattage	7W	12W	7W	12W	18W
Product dimensions (mm)	55x55x100	75x75x100	55x55x100	75x75x100	92x92x120
Cutout dia (mm)	52	68	52	68	81
Lumen	350lm	760lm	410lm	840lm	1260lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
CRI	80	80	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.

FlexFocus



Adjustable focused light

- Unique design with flexible focus
- 360° rotation to change the light beam
- Available in 30° beam angle
- Longer life with 20,000 hours^
- Super robust construction
- Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Premium white aluminum housing
- No harmful UV radiation

	FlexFocus
Wattage	3W
Product dimensions (mm)	53x53x50
Cutout dia (mm)	40
Lumen	210lm
CCT	3000K/4000K/6500K
Colour	WW/NW/CDL
Material	Aluminum

Voltage: 220V-240V-
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.

Up-Down Surface Spot




Three ways to light up your home

- Lighting for every moment
- Effortless ambiance with scene switch feature
- Modern appeal
- CRI 90: See colors true to life
- No harmful UV/IR radiation
- Longer life with 20,000 hours^

	Up-Down Surface Spot	Up-Down Surface Spot
Wattage	10W	20W
Product dimensions (mm)	85x85x103	99x99x116
Cutout dia (mm)	-	-
Lumen	650lm	1200lm
CCT	Downlight: 4000K; Uplight: 3000K	Downlight: 4000K; Uplight: 3000K
CRI	90	90
Colour	Downlight: NW; Uplight: WW	Downlight: NW; Uplight: WW
Material	Aluminium	Aluminium

Voltage: 240V 50Hz
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Surface COB



Focused surface light for your home & shop

- Brighter light output
- Premium aluminium material for better heat dissipation and endurance
- Uniform light output over product life of 20,000 hours
- No visible flickering, no UV/IR and low glare to prevent eye strain
- Surge protection up to 2.5kV with wide voltage protection 160-360V
- No harmful UV radiation
- BIS compliant

	Surface COB	Surface COB	Surface COB
Wattage	7W	12W	18W
Product dimensions (mm)	50x50x90	70x70x127	90x90x140
Cutout dia (mm)	-	-	-
Lumen	595lm	1020lm	1530lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
CRI	80	80	80
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.

FlexSpot



Tiltable Spotlight with adjustable focus

- Direct the light at any angle with 230° tilt and 360° rotation
- 36° beam angle.
- Premium Aluminum housing in White & Black
- Longer life with 20,000 hours^
- Super robust construction
- Wide voltage protection from 160V - 360V and surge protection up to 2.5kV
- No harmful UV radiation

	FlexSpot
Wattage	10W
Product dimensions (mm)	56x56x186
Cutout dia (mm)	75
Lumen	850lm
CCT	3000K/4000K
Colour	WW/NW
Material	Aluminum

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Surface FlexSpot



Tiltable Spotlight with adjustable focus

- Direct the light at any angle with 230° tilt and 36° rotation
- 36° beam angle.
- Premium aluminum housing in white & black
- Longer life with 20,000 hours^
- Super robust construction
- Wide voltage protection from 160V - 360V and surge protection up to 2.5kV
- No harmful UV radiation

	Surface FlexSpot
Wattage	10W
Product dimensions (mm)	56x56x186
Cutout dia (mm)	-
Lumen	850lm
CCT	3000K/4000K/6500K
Colour	WW/NW/CDL
Material	Aluminum

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Deco Surface COB



Rose Gold



Chrome



Black



White

Feel inspired with beautiful metallic lights

- Premium surface COB range with metallic finish reflectors
- An attractive range of colours to choose from
- Deep recessed light source for low glare
- Focused 36° beam angle
- Longer Life with 20,000 hours^
- Super robust construction
- Wide voltage protection from 160V - 360V and surge protection up to 2.5kV
- Premium aluminium housing in White and Black with different combination
- No harmful UV radiation

	Deco Surface COB	Deco Surface COB
Wattage	7W	12W
Product dimensions (mm)	56x56x73	80x80x91
Cutout dia (mm)	-	-
Lumen	525lm	1020lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Sharp COB



Slim design with bright focused light

- Slim design
- Focused 38° beam angle
- Robust built
- Tilttable to an angle of 30°
- Longer life with 20,000 hours^
- Wide voltage protection from 160V – 360V and surge protection up to 2.5kV
- Premium aluminium housing
- No harmful UV radiation

	Sharp COB	Sharp COB	Sharp COB	Sharp COB
Wattage	5W	7W	12W	15W
Product dimensions (mm)	51x51x65	51x51x86	66x66x82	66x66x100
Cutout dia (mm)	46	46	60	60
Lumen	350	490	900	1125
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
CRI	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminum	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



FlexBeam



Rotatable and tiltable focused light

- Super bright light spectrum
- Lumen efficacy
- Choice of directing the light to any direction with 360 degree rotation
- Deep recessed COB source for low glare
- Focused 36° beam angle
- Longer Life with 20,000 hours^
- Super robust construction
- Wide voltage protection from 160V - 360V and surge protection up to 2.5kV
- Premium white aluminum housing
- No harmful UV radiation

	FlexBeam	FlexBeam	FlexBeam	FlexBeam
Wattage	7W	12W	18W	22W
Product dimensions (mm)	87x87x60	97x97x64	108x108x80	108x108x89
Cutout dia (mm)	77	88	98	98
Lumen	600lm	1020lm	1530lm	1870lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminum	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



COB Pro



Express elegance beautifully

- Super bright light spectrum
- Focused 36° adjustable beam
- Longer life with 35,000 hours[^]
- Super robust construction
- Premium white aluminium housing
- Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- No harmful UV radiation

	COB Pro	COB Pro	COB Pro	COB Pro	COB Pro
Wattage	2W	7W	12W	18W	22W
Product dimensions (mm)	42 x 42 x 23	90x90x50	105x105x52	120x120x65	120x120x80
Cutout dia (mm)	29	81	95	110	110
Lumen	100lm	630lm	1080lm	1620lm	1980lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
CRI	80	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice. Product images are only for representation.



Aura StylEdge Downlight



Light with style

- Decorative finish downlight with hallmark silver ring for beautiful aesthetics
- Ultra thin trim for a seamless fit
- High lumen efficiency
- Aluminum housing for better performance
- Designed for robustness: wide voltage protection from 160V-360V
- Surge protection up to 2.5kV
- Available in 5W, 7W, 10W & 15W in round shape only

	Aura StylEdge	Aura StylEdge	Aura StylEdge	Aura StylEdge
Wattage	5W	7W	10W	15W
Product dimensions (mm)	87x87x45	110x110x47	121x121x47	150x150x47
Cutout dia (mm)	78	100	110	137
Lumen	450lm	620lm	900lm	1420lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
CRI	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V -
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



DuraSlim



Slimmest metal panel with 50k life hours

- Premium aluminium housing with unique slim design
- Only 10mm thickness to fit into all type of ceiling
- Extra bright light
- Surge protection up to 2.5 kV with wide voltage protection 160-360V
- No visible flickering, no UV/IR and low glare to prevent eye strain, CRI-90
- Even and comfortable light perfected for your eye comfort
- Available in round & square shape

	Dura Slim	Dura Slim	Dura Slim	Dura Slim	Dura Slim	Dura Slim
Wattage	3W	7W	12W	15W	18W	22W
Product dimensions (mm)	R: 80x80x20 S: 80x80x20	R: 120x120x10 S: 110x110x10	R: 160x160x10 S: 140x140x10	R: 180x180x10 S: 170x170x10	R: 20x200x10 S: 180x180x10	R: 225x225x10 S: 225x225x10
Cutout dia (mm)	R: 75 S: 75	R: 105 S: 95	R: 145 S: 120	R: 165 S: 152	R: 185 S: 162	R: 208 S: 208
Lumen	190lm	735lm	1260lm	1575lm	1890lm	2310lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V -
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Slim Surface Mount+



A sleeker, slimmer, metal surface mount ceiling light

- Die-cast premium aluminium material for reliable performance
- Even and comfortable light perfected for your eye comfort
- No visible flickering, no UV/IR and low glare to prevent eye strain
- Surge protection up to 2.5 kV with wide voltage protection 160-360V
- Life of 35,000 hours^

	Surface Mount +	Surface Mount +	Surface Mount +	Surface Mount +
Wattage	3W	12W	15W	22W
Product dimensions (mm)	R: 90x90x35 S: 90x90x35	R: 164x164x30 S: 144x144x30	R: 187x187x30 S: 181x181x30	R: 235x235x46 S: 230x230x46
Lumen	190lm	920lm	1200lm	1840lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day @ Ta30° C
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Power Glow



Maximum brightness and superior life

- Ideal for commercial spaces
- 120lm/watt efficacy
- Surge protection up to 3KV
- Wide voltage protection 160V-360V

	Power Glow	Power Glow	Power Glow	Power Glow
Wattage	8.5W	10W	13.5W	16.5W
Product dimensions (mm)	152 X 152 X 44	152 X 152 X 44	174X 174 X 52	174X 174 X 52
Cut out dia (mm)	144	144	164	164
Lumen	1020	1200	1620	1980
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
CRI	80	80	80	80
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminum	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-

^System lifetime (Hours) @8hours/day

All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice. Product images are only for representation.



Metal FullGlow Surface

Sleeker Design



Longer life brighter light


- Brightest metal surface light with 100lm/W light output
- Full glow diffuser allows for wider light spread of 270 degrees
- Aluminum die cast housing for better heat dissipation
- Longer life of 30,000 hours^
- Super slim design allowing the product to blend seamlessly with the ceiling
- Surge protection of 3kV with wide voltage protection of 160-360V

	Metal FullGlow Surface	Metal FullGlow Surface	Metal FullGlow Surface
Wattage	12W	15W	20W
Product dimensions (mm)	145 x 145 x 38	145 x 145 x 38	200 x 200 x 38
Lumen	1200	1500	2000
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V -
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Linea Sharp Slim



Brighter light, longer life


- Strong focused 33° beam
- Wide voltage protection 160V-360V
- Glare free - easy on the eye
- Slimmer design for minimalistic look
- Super robust construction
- Premium aluminum housing for better heat management
- Surge protection up to 2.5kV

	Linea Sharp Slim	Linea Sharp Slim	Linea Sharp Slim	Linea Sharp Slim	Linea Sharp Slim	Linea Sharp Slim
Wattage	2.5W	4W	6W	8W	10W	15W
Product dimensions (mm)	51x32x40	62x32x40	52x52x40	108x32x40	71x71x40	204x32x40
Cutout dia (mm)	45x26	57x27	47x47	102x26	65x65	197x26
Lumen	140lm	225lm	400lm	520lm	650lm	975lm
CCT	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K
Colour	WW/NW	WW/NW	WW/NW	WW/NW	WW/NW	WW/NW
Material	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



Linea Sharp



Brighter light, longer life

- Strong focused 40° beam
- Wide voltage protection
- Glare free - easy on the eye

	Linea Sharp	Linea Sharp	Linea Sharp	Linea Sharp	Linea Sharp
Wattage	3W	6W	10W	20W	30W
Product dimensions (mm)	45x45x49	75x45x49	147x45x49	280x45x49	413x45x49
Cutout dia (mm)	37x37	66x36	139x36	271x36	403x36
Lumen	150lm	360lm	700lm	1400lm	2100lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V- | Surge Protection up to 2.5kV
^System lifetime (Hours) @8hours/day
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



LINEAR

Enhance the ambience of your space with the linear lighting solutions from Philips. These strip lights, rope lights and cabinet lights with their minimalistic design offer subtle yet impactful lighting that's sure to impress.

Take your creativity to the next level and experiment with new designs to accentuate the interiors.



Neon Rope



Elevate exteriors with best-in-class uniform lighting

- Protection against dust and water
- Seamless illumination
- Durable and long-lasting beauty
- Brightest-in-class
- Customizable lengths
- Vivid color options

	Neon Rope
Wattage	450W
Lumen	450 lm/mtr
CCT	3000K
No. of LEDs	120 LED/mtr
Material	PVC diffuser
Colour	WW/Blue/Pink/Green
Product dimensions (mm)	50000 X 12 X 12

Voltage: 220-240V
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



COB Strip



Elevate your interiors with seamless profile strip

Accentuate your interiors with Philips COB strip which is designed to provide you the best illumination with 480 LEDs per meter powering this profile strip! This super high LED count per meter ensures a uniform bright light without black spots making it perfect for to be used in profiles.

- Bright light output accentuates your interiors
- Brings out the best lighting effect through profiles
- High LED count of 480 per meter

	COB Strip
Wattage	50W
Lumen	2750
CCT	3000K/4000K/6500K/Blue
No. of LEDs	480 LED/mtr
Material	NA
Colour	WW/NW/CDL/Blue
Product dimensions (mm)	5000 x 8 x 2
Recommended driver by Philips	5A 12V

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



ProGlow Nxt

1000lm
per Mtr



Design with light

Express yourself with the Philips Profile lighting. These strip lights are designed for seamless profile lighting with their high LED count and bright lumen output.

- Accentuates your interiors
- High LED count per meter ensures uniform bright light through the diffuser of your profiles
- Flexible and customisable
- Superior adhesive for easy installation

	ProGlow Nxt
Wattage	55W
Lumen	1000lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	264 LED/mtr
Material	NA
Colour	WW/NW/CDL
CRI	80
Product dimensions (mm)	5000X10X2
Recommended driver by Philips	12V 5A

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPELight at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



Slim Edge Profile Strip

600 lm
p e M t



Design with light

Express yourself with the Philips Profile lighting. These strip lights are designed for seamless profile lighting with their high LED count and bright lumen output.

- Accentuates your interiors
- High LED count per meter ensures uniform bright light through the diffuser of your profiles
- Flexible and customisable
- Superior adhesive for easy installation

	Slim Edge Profile Strip
Wattage	25W
Lumen	600lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	144 LED/mtr
Material	NA
Colour	WW/NW/CDL
CRI	80
Product dimensions (mm)	5000X5X2
Recommended driver by Philips	12V 2A

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPELight at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



High Lumen Rope

1000lm
per Mtr



Dazzling rope light for opulent spaces

- Brightest rope light
- IP65 rated linear lighting solution for both outdoor and indoor application
- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- 50m length for maximum coverage

	Marathon Rope
Wattage	500W
Lumen	1000lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	72 LED/mtr
Material	Transparent silicon coating
Colour	WW/NW/CDL
CRI	-
Product dimensions (mm)	50000x11x6
Recommended driver by Philips	Marathon Gen 3 accessory

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



LineaGlow

1200lm
per Mtr



Personalize your space with brighter lights

Brightest cove lighting solution.

- Versatile strip light to perform as soft cove and powerful profile lighting solution
- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- 5m length to accommodate most applications
- Superior adhesive for easy and worry-free installation

	LineaGlow
Wattage	70W
Lumen	1200lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	120 LED/mtr
Material	White and uncoated synthetic
Colour	WW/NW/CDL
Product dimensions (mm)	5000x10x2
Recommended driver by Philips	10A 12V

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



Linea Bright

500lm
per mtr



Gentle illumination for ambient cove lighting

- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- Equipped with driver necessary for its functioning
- Superior adhesive for easy installation

	LineaBright
Wattage	28W with driver
Lumen	500lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	72 LED/mtr
Material	NA
Colour	WW/NW/CDL
Product dimensions (mm)	5000x8x0.3 (5 mtr.)

Voltage: 220-240V
All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



ColorMagic 3 in 1



Experience a different ambience with a flick of a switch

- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- Equipped with driver necessary for its functioning
- Superior adhesive for easy installation

	ColourMagic 3 in 1
Wattage	28W with driver
Lumen	620lm/mtr
CCT	3000K/4000K/6500K (3-in-1)
No. of LEDs	120 LED/mtr
Material	NA
Colour	WW/NW/CDL (3-in-1)
Product dimensions (mm)	5000x10x0.3

Voltage: 220-240V
All the feature mentioned on packaging are under standard test conditions. Specification are subject to change without prior notice.
Product images are only for representation.



SpaceGlow



Stylish, slim light to brighten up your home spaces

- Low-depth cabinet light perfect for all your under-cabinet, wardrobe, kitchen spaces and more
- Engineering for safety with a PC body
- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- Available in 1ft and 2ft lengths
- AC-powered fixture

	SpaceGlow	SpaceGlow
Wattage	6W	12W
Lumen	420lm	900lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K
Material	PC	PC
Colour	WW/NW/CDL	WW/NW/CDL
Product dimensions (mm)	300x21x8	600x21x8

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice. Product image is for representation purpose only, actual product may vary.

Product Descriptions	MRP
WALL LIGHTS	
582002 Delight Wall Light 1H 5W IP44 (Chrome)	4,430/-
582003 Delight Wall Light 1H 5W IP44 (White)	4,430/-
582008 Bling Wall Light 1H 5W IP44	5,490/-
582007 Bling Wall Light 2H 10W IP44	7,850/-
58154 10W Duo Led Wall Light	4,550/-
58155 20W Duo Led Wall Light	6,300/-
581917 Roman 6W LED Wall Light WW/CW	3,350/-
800005 Philips Oriel Craft 15W Dimmable	3,510/-
800046 Philips OrielHoneycomb15W Dimmable	3,510/-
800004 Oriel Classic 15W Dimmable	3,510/-
800003 Oriel Giraffe 15W Dimmable	3,510/-
582085 Philips Nero WallLight PatternE27	2,690/-
582086 Philips Nero Wall Light Up E27	2,890/-
582087 Philips Nero Wall LightSmokyBlack	3,340/-
800025 Philips Nero BLESS Wall Light E27	3,200/-
30978 Brushed Nickel Wall Light 1H	2,650/-
31453 Trunk Wall Light 1H	3,550/-
31454 Trunk Wall Light 2H	6,800/-
31457 Tale Wall Light 1H	3,550/-
31458 Tale Wall Light 2H	6,800/-
58184 PHILIPS Platina Wall Light 1H	3,240/-
58070 PHILIPS Glint Wall Light 1H	3,370/-
58185 PHILIPS Blush Wall Light 1H	3,240/-
581879 Aspire Single Spot GU 10	2,750/-
581880 Aspire Double Spot GU 10	4,150/-
581881 Vista Single Wall 1* E14	3,450/-
34303 Grace Wall Light - Single	1,500/-
34302 Stylo Wall Light - Single	1,400/-
34304 Trendo Wall Light 2H	2,900/-
30975 PHILIPS Grey Bedside Light 2W WW	1,820/-
48042 PHILIPS Bedside Light 3W White WW	2,020/-
48042 PHILIPS Bedside Light 3W Black WW	2,020/-
31437 PHILIPS Hint White Bedside Light 7W	3,850/-

Product Descriptions	MRP
31440 PHILIPS Nebula Picture Lights 12W Chrome	3,690/-
31441 PHILIPS Nebula Picture lights 12 W Silver	3,690/-
30973 Picture Light LED 6W WW	2,750/-
48043 Picture Light Chrome LED 10W WW	3,000/-
MOD COB	
7W MODCOB LED 15D (WW)	2,165/-
7W MODCOB LED 15D (NW)	2,165/-
7W MODCOB LED 24D (WW)	2,165/-
7W MODCOB LED 24D (NW)	2,165/-
7W MODCOB LED 36D (WW)	2,165/-
7W MODCOB LED 36D (NW)	2,165/-
12W MODCOB LED 15D (WW)	2,595/-
12W MODCOB LED 15D (NW)	2,595/-
12W MODCOB LED 24D (WW)	2,595/-
12W MODCOB LED 24D (NW)	2,595/-
12W MODCOB LED 36D (WW)	2,595/-
12W MODCOB LED 36D (NW)	2,595/-
Reflector MODCOB LED (Eboney)	310/-
Reflector MODCOB LED (Onyx)	390/-
Reflector MODCOB LED (White)	310/-
Reflector MODCOB LED (Pearl)	390/-
Reflector MODCOB LED (Chrome)	390/-
Reflector MODCOB LED (Gold)	390/-
Reflector MODCOB LED (Rosette)	390/-
Reflector MODCOB LED (Champagne)	390/-
Reflector MODCOB LED (Aurum)	390/-
Reflector MODCOB LED (Wine)	390/-
Reflector MODCOB LED (Azure)	390/-
Front Ring White MODCOB LED Round	390/-
Front Ring White MODCOB LED Oval	390/-
Front Ring White MODCOB LED Arch	390/-
Front Ring White MODCOB LED Square	390/-
Front Ring Black MODCOB LED Round	390/-
Front Ring Black MODCOB LED Oval	390/-

Product Descriptions	MRP
Front Ring Black MODCOB LED Arch	390/-
Front Ring Black MODCOB LED Square	390/-
Mounting Grid MODCOB LED (Trimless)	690/-
Mounting Grid MODCOB LED 1M Round White	690/-
Mounting Grid MODCOB LED 1M Round Black	690/-
Mounting Grid MODCOB LED 1M Square White	950/-
Mounting Grid MODCOB LED 2M Square White	1,385/-
Mounting Grid MODCOB LED 3M Square White	2,075/-
Mounting Grid MODCOB LED 1M Square Black	950/-
Mounting Grid MODCOB LED 2M Square Black	1,385/-
Mounting Grid MODCOB LED 3M Square Black	2,075/-
Surface Grid MODCOB LED 1M White	2,250/-
Surface Grid MODCOB LED 2M White	3,115/-
Surface Grid MODCOB LED 3M White	3,980/-
Surface Grid MODCOB LED 4M White	4,670/-
Surface Grid MODCOB LED 1M Black	2,250/-
Surface Grid MODCOB LED 2M Black	3,115/-
Surface Grid MODCOB LED 3M Black	3,980/-
Surface Grid MODCOB LED 4M Black	4,670/-
FUNCTIONAL LIGHTS	
IP44 Low Glare COB 7W	2,700/-
IP44 Low Glare COB 12W	3,500/-
IP44 Low Glare COB 20W	4,700/-
Deco COB LED Spot Light 7W	2,580/-
Deco COB LED Spot Light 12W	3,230/-
Thin Trim Dimmable Deep Recessed 7W COB	2,050/-
Thin Trim Dimmable Deep Recessed 12W COB	2,740/-
Thin Trim Dimmable Deep Recessed 18W COB	4,110/-
Thin Trim Dimmable Deep Recessed 7W COB Dimmable	2,850/-
Thin Trim Dimmable Deep Recessed 12W COB Dimmable	3,430/-
10W Up-down LED Surface Spot	4,250/-
20W Up-down LED Surface Spot	5,580/-
Surface COB 7W	2,280/-
Surface COB 12W	3,120/-

Product Descriptions	MRP
Surface COB 18W	4,310/-
Deco Surface COB Spot Light 7W	2,590/-
Deco Surface COB Spot Light 12W	3,420/-
FlexBeam COB 7W	1,900/-
FlexBeam COB 12W	2,500/-
FlexBeam COB 18W	3,725/-
FlexBeam COB 22W	4,345/-
FlexSpot COB 10W	4,650/-
FlexFocus COB 3W	1,290/-
COB Pro LED Spot Light 7W	1,870/-
COB Pro LED Spot Light 12W	2,460/-
COB Pro LED Spot Light 18W	3,670/-
COB Pro LED Spot Light 22W	4,280/-
Aura StylEdge LED Downlighter 5W	1,480/-
Aura StylEdge LED Downlighter 7W	1,730/-
Aura StylEdge LED Downlighter 10W	2,090/-
Aura StylEdge LED Downlighter 15W	2,470/-
PowerGlow LED Downlighter 8.5W	1,670/-
PowerGlow LED Downlighter 10W	1,860/-
PowerGlow LED Downlighter 13.5W	2,110/-
PowerGlow LED Downlighter 16.5W	2,700/-
DuraSlim LED Downlighter 7W	1,270/-
DuraSlim LED Downlighter 12W	1,600/-
DuraSlim LED Downlighter 15W	2,040/-
DuraSlim LED Downlighter 18W	2,560/-
DuraSlim LED Downlighter 22W	3,220/-
Surface Mount+ LED Surface Downlighter 3W	1,260/-
Slim Surface Mount+ LED Surface Downlighter 12W	2,200/-
Slim Surface Mount+ LED Surface Downlighter 15W	2,440/-
Surface Mount+ LED Surface Downlighter 22 W	3,960/-
Linea Sharp 3W	1,580/-
Linea Sharp 6W	2,330/-
Linea Sharp 10W	3,620/-
Linea Sharp 20W	9,040/-
Linea Sharp 30W	11,510/-
Linea Sharp Slim 2.5W	1,580/-
Linea Sharp Slim 4W	2,100/-

Product Descriptions	MRP
Linea Sharp Slim 6W	2,460/-
Linea Sharp Slim 8W	3,510/-
Linea Sharp Slim 10W	3,865/-
Linea Sharp Slim 15W	6,325/-
12W Rd Metal FullGlow LED Surface (WW)	1,645/-
12W Rd Metal FullGlow LED Surface (NW)	1,645/-
12W Rd Metal FullGlow LED Surface (CDL)	1,645/-
15W Rd Metal FullGlow LED Surface (WW)	1,750/-
15W Rd Metal FullGlow LED Surface (NW)	1,750/-
15W Rd Metal FullGlow LED Surface (CDL)	1,750/-
20W Rd Metal FullGlow LED Surface (WW)	2,325/-
20W Rd Metal FullGlow LED Surface (NW)	2,325/-
20W Rd Metal FullGlow LED Surface (CDL)	2,325/-
LINEAR LIGHTING	
Neon Rope 9W 120 LED (WW)	19,850/-
Neon Rope 9W 120 LED (Blue)	20,500/-
Neon Rope 9W 120 LED (Pink)	20,500/-
Neon Rope 9W 120 LED (Green)	20,500/-
ProGlow Nxt (264 LED/ Mtr)	3,600/-
Slim Edge (144 LED/Mtr)	3,000/-
Linea Bright (72 LED/Mtr)	2,980/-
Linea Premium (60 LED/Mtr)	4,260/-
ColorMagic 3 in 1 (Tunable)	3,575/-
Linea Glow (120 LED/Mtr)	2,450/-
LED Strip Blue	3,290/-
LED Marathon Rope 10W 72 LED (WW)	10,500/-
LED Marathon Rope 10W 72 LED (NW)	10,500/-
LED Marathon Rope 10W 72 LED (CDL)	10,500/-
LED Marathon Rope 10W 72 LED (Blue)	10,500/-
LED Marathon Rope 10W 72 LED (Pink)	10,500/-
6W Linear LED Light (WW)	680/-
6W Linear LED Light (NW)	680/-
6W Linear LED Light (CDL)	680/-
12W Linear LED Light (WW)	1,030/-
12W Linear LED Light (NW)	1,030/-
12W Linear LED Light (CDL)	1,030/-
BATHROOM	
582108 Philips Meraki Round 10W IP44 WW	2,490/-
582108 Philips Meraki Round 10W IP44 CW	2,490/-

Product Descriptions	MRP
582109 Philips Meraki Rect 10W IP44 WW	2,490/-
582109 Philips Meraki Rect 10W IP44 CW	2,490/-
582106 Philips Meraki Round 20W IP44 WW	3,490/-
582106 Philips Meraki Round 20W IP44 CW	3,490/-
582107 Philips Meraki Rect 20W IP44 WW	3,490/-
582107 Philips Meraki Rect 20W IP44 CW	3,490/-
582004 Artizy 5W IP44 Round Wall light	3,910/-
582006 Artizy 5W IP44 Vertical Wall light	3,910/-
582005 Artizy 2H 10W IP44 Wall light	5,410/-
581925 JADE 6W IP44 LED WALL LIGHT WW/CW	4,950/-
581921 Emporia 7W IP44 LED Wall Light WW/CW	3,700 /-
581918 Majesty 27W 2300lm WW IP44 LED	11,500/-
800036 Philips AQUILA 15W Scene Switch	5,390/-
800037 Philips VEGA 22W Scene Switch	6,390/-
TRACK LIGHT	
31442 Stanchion Track 1 Meter White/Black	1,190/-
31445 Track Light Stanchion Track Black/White 10W Head NW / CW / WW	2,950/-
31446 Track Light Stanchion Track Black/White 20W Head NW / CW / WW	3,340/-
31447 Track Light Stanchion Track Black/White 30W Head NW / CW / WW	3,740/-
31448 Track Light Stanchion Track GU10 Head Black	2,050/-
800002 Philips FILLIP Sensor Step 2W Grey	1,430/-
800002 Philips FILLIP Sensor Step 2W White	1,430/-
OUTDOOR	
31436 Andromeda Step Grey WW	3,350/-
31435 Andromeda 5W LED Surface Mount Step Light	2,650/-
30974 PHILIPS Recessed StepLight 2W WW	1,060/-
34151 PHILIPS Anthracite StepLight 2W WW	1,240/-
34152 PHILIPS Anthracite StepLight 3W WW	1,700/-
582092 Alfresco Round 9W	7,100/-
582050 Alfresco HorizLong 10W	7,940/-
582052 Alfresco Square Plain 10W	7,940/-
582048 Alfresco Square Pattern 12W	8,560/-
582049 Alfresco Round Pattern 12W	8,560/-
582051 Alfresco Square Grill 10W	9,630/-
800047 Philips SERENE Milky WallLightE27	5,100/-
800048 Philips SERENE Clear WallLightE27	5,100/-
800049 Philips SERENE Milky Pendant E27	6,590/-
800050 Philips SERENE Clear Pendant E27	6,590/-

